



# "Complete Air Control and Distribution Solutions"

International and United States  
Headquarters, Sales, Manufacturing,  
Research and Development and Test  
Laboratory:

Nailor Industries of Texas Inc.  
4714 Winfield Rd.,  
Houston, Texas 77039  
Tel: (281) 590-1172  
Fax: (281) 590-3086  
www.nailor.com  
nailor@nailor.com

Regional Sales and Manufacturing  
Facilities:  
Nailor Industries Inc. (Western U.S.A.)  
3200 E. Gowan, Suite 105  
N. Las Vegas, NV 89030  
Tel: (702) 648-3400  
Fax: (702) 638-0400

Nailor Industries (Western) Inc.  
Unit F, 4427-72nd Avenue S.E.,  
Calgary, Alberta T2C 2G5  
Canada  
Tel: (403) 279-8819  
Fax: (403) 279-5035



# INDEX

**INDEX BY SECTION AND NAILOR MODEL NUMBER**

MODEL	SECTION AND DESCRIPTION	PAGE NO.
<b>FLOWLINE™ LINEAR DIFFUSERS . . . . . A</b>		
FLBO10	FlowLine™ Options and Accessories • Blank-Offs - 1" (25) Slot . . . . .	A12
FLBO15	FlowLine™ Options and Accessories • Blank-Offs - 1 1/2" (38) Slot . . . . .	A12
FLBO20	FlowLine™ Options and Accessories • Blank-Offs - 2" (51) Slot . . . . .	A12
FLBO25	FlowLine™ Options and Accessories • Blank-Offs - 2 1/2" (64) Slot . . . . .	A12
FLBO30	FlowLine™ Options and Accessories • Blank-Offs - 3" (76) Slot . . . . .	A12
FLC10	FlowLine™ Options and Accessories • Transitions - Type C Cross - 1" (25) Slot . . . . .	A12
FLC15	FlowLine™ Options and Accessories • Transitions - Type C Cross - 1 1/2" (38) Slot . . . . .	A12
FLC20	FlowLine™ Options and Accessories • Transitions - Type C Cross - 2" (51) Slot . . . . .	A12
FLC25	FlowLine™ Options and Accessories • Transitions - Type C Cross - 2 1/2" (64) Slot . . . . .	A12
FLC30	FlowLine™ Options and Accessories • Transitions - Type C Cross - 3" (76) Slot . . . . .	A12
FLH10	FlowLine™ Linear Diffuser • Horizontal High Throw Pattern Controllers - 1" (25) Slot . . . . .	A6
FLH15	FlowLine™ Linear Diffuser • Horizontal High Throw Pattern Controllers - 1 1/2" (38) Slot . . . . .	A6
FLH20	FlowLine™ Linear Diffuser • Horizontal High Throw Pattern Controllers - 2" (51) Slot . . . . .	A6
FLH25	FlowLine™ Linear Diffuser • Horizontal High Throw Pattern Controllers - 2 1/2" (64) Slot . . . . .	A6
FLH30	FlowLine™ Linear Diffuser • Horizontal High Throw Pattern Controllers - 3" (76) Slot . . . . .	A6
FLMC10	FlowLine™ Options and Accessories • Mitered Corners - 1" (25) Slot . . . . .	A12
FLMC15	FlowLine™ Options and Accessories • Mitered Corners - 1 1/2" (38) Slot . . . . .	A12
FLMC20	FlowLine™ Options and Accessories • Mitered Corners - 2" (51) Slot . . . . .	A12
FLMC25	FlowLine™ Options and Accessories • Mitered Corners - 2 1/2" (64) Slot . . . . .	A12
FLMC30	FlowLine™ Options and Accessories • Mitered Corners - 3" (76) Slot . . . . .	A12
FLP10	FlowLine™ Linear Diffuser • Engineered Plenums - 1" (25) Slot . . . . .	A14
FLP15	FlowLine™ Linear Diffuser • Engineered Plenums - 1 1/2" (38) Slot . . . . .	A14
FLP20	FlowLine™ Linear Diffuser • Engineered Plenums - 2" (51) Slot . . . . .	A14
FLP25	FlowLine™ Linear Diffuser • Engineered Plenums - 2 1/2" (64) Slot . . . . .	A14
FLP30	FlowLine™ Linear Diffuser • Engineered Plenums - 3" (76) Slot . . . . .	A14
FLPI10	FlowLine™ Linear Diffuser • Engineered Plenums - 1" (25) Slot - Internal Insulation . . . . .	A14
FLPI15	FlowLine™ Linear Diffuser • Engineered Plenums - 1 1/2" (38) Slot - Internal Insulation . . . . .	A14
FLPI20	FlowLine™ Linear Diffuser • Engineered Plenums - 2" (51) Slot - Internal Insulation . . . . .	A14
FLPI25	FlowLine™ Linear Diffuser • Engineered Plenums - 2 1/2" (64) Slot - Internal Insulation . . . . .	A14
FLPI30	FlowLine™ Linear Diffuser • Engineered Plenums - 3" (76) Slot - Internal Insulation . . . . .	A14
FLR10	FlowLine™ Options and Accessories • Return Hood/Sight Shield - 1" (25) Slot - Uninsulated . . . . .	A13
FLR15	FlowLine™ Options and Accessories • Return Hood/Sight Shield - 1 1/2" (38) Slot - Uninsulated . . . . .	A13
FLR20	FlowLine™ Options and Accessories • Return Hood/Sight Shield - 2" (51) Slot - Uninsulated . . . . .	A13
FLR25	FlowLine™ Options and Accessories • Return Hood/Sight Shield - 2 1/2" (64) Slot - Uninsulated . . . . .	A13
FLR30	FlowLine™ Options and Accessories • Return Hood/Sight Shield - 3" (76) Slot - Uninsulated . . . . .	A13
FLRI10	FlowLine™ Options and Accessories • Return Hood/Sight Shield - 1" (25) Slot - Insulated . . . . .	A13
FLRI15	FlowLine™ Options and Accessories • Return Hood/Sight Shield - 1 1/2" (38) Slot - Insulated . . . . .	A13
FLRI20	FlowLine™ Options and Accessories • Return Hood/Sight Shield - 2" (51) Slot - Insulated . . . . .	A13
FLRI25	FlowLine™ Options and Accessories • Return Hood/Sight Shield - 2 1/2" (64) Slot - Insulated . . . . .	A13
FLRI30	FlowLine™ Options and Accessories • Return Hood/Sight Shield - 3" (76) Slot - Insulated . . . . .	A13
FLT10	FlowLine™ Options and Accessories • Transitions - Type T Tee - 1" (25) Slot . . . . .	A12
FLT15	FlowLine™ Options and Accessories • Transitions - Type T Tee - 1 1/2" (38) Slot . . . . .	A12
FLT20	FlowLine™ Options and Accessories • Transitions - Type T Tee - 2" (51) Slot . . . . .	A12
FLT25	FlowLine™ Options and Accessories • Transitions - Type T Tee - 2 1/2" (64) Slot . . . . .	A12
FLT30	FlowLine™ Options and Accessories • Transitions - Type T Tee - 3" (76) Slot . . . . .	A12
FLV10	FlowLine™ Linear Diffuser • Vertical Jet Throw Pattern Controllers - 1" (25) Slot . . . . .	A7
FLV15	FlowLine™ Linear Diffuser • Vertical Jet Throw Pattern Controllers - 1 1/2" (38) Slot . . . . .	A7
FLV20	FlowLine™ Linear Diffuser • Vertical Jet Throw Pattern Controllers - 2" (51) Slot . . . . .	A7
FLV25	FlowLine™ Linear Diffuser • Vertical Jet Throw Pattern Controllers - 2 1/2" (64) Slot . . . . .	A7
FLV30	FlowLine™ Linear Diffuser • Vertical Jet Throw Pattern Controllers - 3" (76) Slot . . . . .	A7
FM10	Modular FlowLine™ Square Ceiling Diffuser • Supply - Std. 15/16" (24) or 9/16" (14) Flat T-Bar - 1" (25) Slot . . . . .	A39
FMB10	Modular FlowLine™ Square Ceiling Diffuser • Supply - Bolt-Slot (Finline®) Type T-Bar - 1" (25) Slot . . . . .	A39
FMBH10	Modular FlowLine™ Square Ceiling Diffuser • Supply - Bolt-Slot (Finline®) Type T-Bar - 1" (25) Slot - Internal Insulation . . . . .	A39
FMBR10	Modular FlowLine™ Square Ceiling Diffuser • Return - Bolt-Slot (Finline®) Type T-Bar - 1" (25) Slot . . . . .	A39
FM110	Modular FlowLine™ Square Ceiling Diffuser • Supply - Std. 15/16" (24) or 9/16" (14) Flat T-Bar - 1" (25) Slot - Internal Insulation . . . . .	A39
FMR10	Modular FlowLine™ Square Ceiling Diffuser • Return - Std. 15/16" (24) or 9/16" (14) Flat T-Bar - 1" (25) Slot . . . . .	A39
FTBH10	FlowLine™ Linear Diffuser • Horizontal High Throw Pattern Controllers - Bolt-Slot (Finline®) Type T-Bar - 1" (25) Slot . . . . .	A20
FTBH15	FlowLine™ Linear Diffuser • Horizontal High Throw Pattern Controllers - Bolt-Slot (Finline®) Type T-Bar - 1 1/2" (38) Slot . . . . .	A20
FTBH20	FlowLine™ Linear Diffuser • Horizontal High Throw Pattern Controllers - Bolt-Slot (Finline®) Type T-Bar - 2" (51) Slot . . . . .	A20
FTBH110	FlowLine™ Linear Diffuser • Horizontal High Throw Pattern Controllers - Bolt-Slot (Finline®) Type T-Bar - 1" (25) Slot - In. Insulation . . . . .	A20
FTBHI15	FlowLine™ Linear Diffuser • Horizontal High Throw Pattern Controllers - Bolt-Slot (Finline®) Type T-Bar - 1 1/2" (38) Slot - In. Insulation . . . . .	A20

**INDEX BY SECTION AND NAILOR MODEL NUMBER**

MODEL	SECTION AND DESCRIPTION	PAGE NO.
-------	-------------------------	----------

**FLOWLINE™ LINEAR DIFFUSERS (CONTINUED)**

FTBH120	FlowLine™ Linear Diffuser • Horizontal High Throw Pattern Controllers - Bolt-Slot (Fineline®) Type T-Bar - 2" (51) Slot - In. Insulation	A20
FTBV10	FlowLine™ Linear Diffuser • Vertical Jet Throw Pattern Controllers - Bolt-Slot (Fineline®) Type T-Bar - 1" (25) Slot	A20
FTBV15	FlowLine™ Linear Diffuser • Vertical Jet Throw Pattern Controllers - Bolt-Slot (Fineline®) Type T-Bar - 1 1/2" (38) Slot	A20
FTBV20	FlowLine™ Linear Diffuser • Vertical Jet Throw Pattern Controllers - Bolt-Slot (Fineline®) Type T-Bar - 2" (51) Slot	A20
FTBV110	FlowLine™ Linear Diffuser • Vertical Jet Throw Pattern Controllers - Bolt-Slot (Fineline®) Type T-Bar - 1" (25) Slot - In. Insulation	A20
FTBV115	FlowLine™ Linear Diffuser • Vertical Jet Throw Pattern Controllers - Bolt-Slot (Fineline®) Type T-Bar - 1 1/2" (38) Slot - In. Insulation	A20
FTBV120	FlowLine™ Linear Diffuser • Vertical Jet Throw Pattern Controllers - Bolt-Slot (Fineline®) Type T-Bar - 2" (51) Slot - In. Insulation	A20
FTH10	FlowLine™ Linear Diffuser • Horizontal High Throw Pattern Controllers - Std. 15/16" (24) or 9/16" (14) Flat T-Bar - 1" (25) Slot	A20
FTH15	FlowLine™ Linear Diffuser • Horizontal High Throw Pattern Controllers - Std. 15/16" (24) or 9/16" (14) Flat T-Bar - 1 1/2" (38) Slot	A20
FTH20	FlowLine™ Linear Diffuser • Horizontal High Throw Pattern Controllers - Std. 15/16" (24) or 9/16" (14) Flat T-Bar - 2" (51) Slot	A20
FTH110	FlowLine™ Linear Diffuser • Horizontal High Throw Pattern Controllers - Std. 15/16" (24) or 9/16" (14) Flat T-Bar - 1" (25) Slot - In. Ins.	A20
FTH115	FlowLine™ Linear Diffuser • Horizontal High Throw Pattern Controllers - Std. 15/16" (24) or 9/16" (14) Flat T-Bar - 1 1/2" (38) Slot - In. Ins.	A20
FTH120	FlowLine™ Linear Diffuser • Horizontal High Throw Pattern Controllers - Std. 15/16" (24) or 9/16" (14) Flat T-Bar - 2" (51) Slot - In. Ins.	A20
FTV10	FlowLine™ Linear Diffuser • Vertical Jet Throw Pattern Controllers - Std. 15/16" (24) or 9/16" (14) Flat T-Bar - 1" (25) Slot	A20
FTV15	FlowLine™ Linear Diffuser • Vertical Jet Throw Pattern Controllers - Std. 15/16" (24) or 9/16" (14) Flat T-Bar - 1 1/2" (38) Slot	A20
FTV20	FlowLine™ Linear Diffuser • Vertical Jet Throw Pattern Controllers - Std. 15/16" (24) or 9/16" (14) Flat T-Bar - 2" (51) Slot	A20
FTV110	FlowLine™ Linear Diffuser • Vertical Jet Throw Pattern Controllers - Std. 15/16" (24) or 9/16" (14) Flat T-Bar - 1" (25) Slot - In. Ins.	A20
FTV115	FlowLine™ Linear Diffuser • Vertical Jet Throw Pattern Controllers - Std. 15/16" (24) or 9/16" (14) Flat T-Bar - 1 1/2" (38) Slot - In. Ins.	A20
FTV120	FlowLine™ Linear Diffuser • Vertical Jet Throw Pattern Controllers - Std. 15/16" (24) or 9/16" (14) Flat T-Bar - 2" (51) Slot - In. Ins.	A20

**LINEAR DIFFUSERS AND BAR GRILLES . . . . . B**

48LL1	Linear Louver Diffusers • Extruded Aluminum - One-way Pattern	B49
48LL2	Linear Louver Diffusers • Extruded Aluminum - Two-way Pattern	B49
49-240	Linear Bar Grilles • Fixed Bars - Extruded Aluminum - 1/2" (13) Spacing - 1/4" (6) Bars - 0° Deflection	B33
49-240MC	Linear Bar Grilles • Mitered Corners - Extruded Aluminum - 1/2" (13) Spacing - 1/4" (6) Bars - 0° Deflection	B38
49-241	Linear Bar Grilles • Fixed Bars - Extruded Aluminum - 1/2" (13) Spacing - 1/4" (6) Bars - 15° Deflection	B33
49-241MC	Linear Bar Grilles • Mitered Corners - Extruded Aluminum - 1/2" (13) Spacing - 1/4" (6) Bars - 15° Deflection	B38
49-243	Linear Bar Grilles • Fixed Bars - Extruded Aluminum - 1/2" (13) Spacing - 1/4" (6) Bars - 30° Deflection	B33
49-243MC	Linear Bar Grilles • Mitered Corners - Extruded Aluminum - 1/2" (13) Spacing - 1/4" (6) Bars - 30° Deflection	B38
49-280	Linear Bar Grilles • Fixed Bars - Extruded Aluminum - 1/2" (13) Spacing - 1/8" (3) Bars - 0° Deflection	B33
49-280MC	Linear Bar Grilles • Mitered Corners - Extruded Aluminum - 1/2" (13) Spacing - 1/8" (3) Bars - 0° Deflection	B38
49-281	Linear Bar Grilles • Fixed Bars - Extruded Aluminum - 1/2" (13) Spacing - 1/8" (3) Bars - 15° Deflection	B33
49-281MC	Linear Bar Grilles • Mitered Corners - Extruded Aluminum - 1/2" (13) Spacing - 1/8" (3) Bars - 15° Deflection	B38
49-480	Linear Bar Grilles • Fixed Bars - Extruded Aluminum - 1/4" (6) Spacing - 1/8" (3) Bars - 0° Deflection	B33
49-480MC	Linear Bar Grilles • Mitered Corners - Extruded Aluminum - 1/4" (6) Spacing - 1/8" (3) Bars - 0° Deflection	B38
49-481	Linear Bar Grilles • Fixed Bars - Extruded Aluminum - 1/4" (6) Spacing - 1/8" (3) Bars - 15° Deflection	B33
49-481MC	Linear Bar Grilles • Mitered Corners - Extruded Aluminum - 1/4" (6) Spacing - 1/8" (3) Bars - 15° Deflection	B38
5010	Linear Slot Diffusers • 'Ice Tong' Pattern Controllers - Extruded Aluminum - Supply - 1" (25) Slot	B5
5010BO	Linear Slot Diffusers • Blank-off - Extruded Aluminum - 1" (25) Slot	B11
5010MC	Linear Slot Diffusers • Mitered Corners - Extruded Aluminum - 1" (25) Slot	B11
5010R	Linear Slot Diffusers • Extruded Aluminum - Return - 1" (25) Slot	B5
5050	Linear Slot Diffusers • 'Ice Tong' Pattern Controllers - Extruded Aluminum - Supply - 1/2" (13) Slot	B5
5050BO	Linear Slot Diffusers • Blank-off - Extruded Aluminum - 1/2" (13) Slot	B11
5050MC	Linear Slot Diffusers • Mitered Corners - Extruded Aluminum - 1/2" (13) Slot	B11
5050R	Linear Slot Diffusers • Extruded Aluminum - Return - 1/2" (13) Slot	B5
5075	Linear Slot Diffusers • 'Ice Tong' Pattern Controllers - Extruded Aluminum - Supply - 3/4" (19) Slot	B5
5075BO	Linear Slot Diffusers • Blank-off - Extruded Aluminum - 3/4" (19) Slot	B11
5075MC	Linear Slot Diffusers • Mitered Corners - Extruded Aluminum - 3/4" (19) Slot	B11
5075R	Linear Slot Diffusers • Extruded Aluminum - Return - 3/4" (19) Slot	B5
5310	Linear Slot Diffuser Plenums • Steel - Standard Performance - 1" (25) Slot	B20
5310I	Linear Slot Diffuser Plenums • Steel - Standard Performance - 1" (25) Slot - Internal Insulation	B20
5310IMP	Linear Slot Diffuser Plenums • Steel - Modified Performance - 1" (25) Slot - Internal Insulation	B20
5310MP	Linear Slot Diffuser Plenums • Steel - Modified Performance - 1" (25) Slot	B20
5350	Linear Slot Diffuser Plenums • Steel - Standard Performance - 1/2" (13) Slot	B20
5350I	Linear Slot Diffuser Plenums • Steel - Standard Performance - 1/2" (13) Slot - Internal Insulation	B20
5350IMP	Linear Slot Diffuser Plenums • Steel - Modified Performance - 1/2" (13) Slot - Internal Insulation	B20
5350MP	Linear Slot Diffuser Plenums • Steel - Modified Performance - 1/2" (13) Slot	B20
5375	Linear Slot Diffuser Plenums • Steel - Standard Performance - 3/4" (19) Slot	B20
5375I	Linear Slot Diffuser Plenums • Steel - Standard Performance - 3/4" (19) Slot - Internal Insulation	B20
5375IMP	Linear Slot Diffuser Plenums • Steel - Modified Performance - 3/4" (19) Slot - Internal Insulation	B20
5375MP	Linear Slot Diffuser Plenums • Steel - Modified Performance - 3/4" (19) Slot	B20



**INDEX**

**INDEX BY SECTION AND NAILOR MODEL NUMBER**

MODEL	SECTION AND DESCRIPTION	PAGE NO.
<b>PLENUM SLOT &amp; LIGHT TROFFER DIFFUSERS . . . . . C</b>		
5410	Light Troffer Diffusers • Supply - Single Side . . . . .	C59
5410R	Light Troffer Diffusers • Return . . . . .	C59
5420	Light Troffer Diffusers • Supply - Double Side . . . . .	C59
5675	Curved Blade 'Flip-Flop' Pattern Controller • Supply - Lay-in T-Bar - 3/4" (19) Slot - Uninsulated . . . . .	C32
5675I	Curved Blade 'Flip-Flop' Pattern Controller • Supply - Lay-in T-Bar - 3/4" (19) Slot - Insulated . . . . .	C32
5675R	Curved Blade 'Flip-Flop' Pattern Controller • Return - Lay-in T-Bar - 3/4" (19) Slot - Uninsulated . . . . .	C36
5675RI	Curved Blade 'Flip-Flop' Pattern Controller • Return - Lay-in T-Bar - 3/4" (19) Slot - Insulated . . . . .	C36
5710	Adjustable 'Wiper Blade' Pattern Controller • Supply - Lay-in T-Bar - 1" (25) Slot - Uninsulated . . . . .	C6
5710-F	Adjustable 'Wiper Blade' Pattern Controller • Supply - Narrow Regressed T-Bar - Straddle Mount - 1" (25) Slot - Uninsulated . . . . .	C8
5710-F2	Adjustable 'Wiper Blade' Pattern Controller • Supply - Narrow Regressed T-Bar - Flat Face T-Bar - 1" (25) Slot - Uninsulated . . . . .	C8
5710I	Adjustable 'Wiper Blade' Pattern Controller • Supply - Lay-in T-Bar - 1" (25) Slot - Insulated . . . . .	C6
5710I-F	Adjustable 'Wiper Blade' Pattern Controller • Supply - Narrow Regressed T-Bar - Straddle Mount - 1" (25) Slot - Insulated . . . . .	C8
5710I-F2	Adjustable 'Wiper Blade' Pattern Controller • Supply - Narrow Regressed T-Bar - Flat Face T-Bar - 1" (25) Slot - Insulated . . . . .	C8
5710R	Adjustable 'Wiper Blade' Pattern Controller • Return - Lay-in T-Bar - 1" (25) Slot - Uninsulated . . . . .	C36
5710R-F	Adjustable 'Wiper Blade' Pattern Controller • Return - Narrow Regressed T-Bar - Straddle Style - 1" (25) Slot - Uninsulated . . . . .	C38
5710R-F2	Adjustable 'Wiper Blade' Pattern Controller • Return - Narrow Regressed T-Bar - Flat Face T-Bar Style - 1" (25) Slot - Uninsulated . . . . .	C38
5710RI	Adjustable 'Wiper Blade' Pattern Controller • Return - Lay-in T-Bar - 1" (25) Slot - Insulated . . . . .	C36
5710RI-F	Adjustable 'Wiper Blade' Pattern Controller • Return - Narrow Regressed T-Bar - Straddle Style - 1" (25) Slot - Insulated . . . . .	C38
5710RI-F2	Adjustable 'Wiper Blade' Pattern Controller • Return - Narrow Regressed T-Bar - Flat Face T-Bar Style - 1" (25) Slot - Insulated . . . . .	C38
5715	Adjustable 'Wiper Blade' Pattern Controller • Supply - Lay-in T-Bar - 1 1/2" (38) Slot - Uninsulated . . . . .	C6
5715-F	Adjustable 'Wiper Blade' Pattern Controller • Supply - Narrow Regressed T-Bar - Straddle Mount - 1 1/2" (38) Slot - Uninsulated . . . . .	C8
5715-F2	Adjustable 'Wiper Blade' Pattern Controller • Supply - Narrow Regressed T-Bar - Flat Face T-Bar - 1 1/2" (38) Slot - Uninsulated . . . . .	C8
5715I	Adjustable 'Wiper Blade' Pattern Controller • Supply - Lay-in T-Bar - 1 1/2" (38) Slot - Insulated . . . . .	C6
5715I-F	Adjustable 'Wiper Blade' Pattern Controller • Supply - Narrow Regressed T-Bar - Straddle Mount - 1 1/2" (38) Slot - Insulated . . . . .	C8
5715I-F2	Adjustable 'Wiper Blade' Pattern Controller • Supply - Narrow Regressed T-Bar - Flat Face T-Bar - 1 1/2" (38) Slot - Insulated . . . . .	C8
5715R	Adjustable 'Wiper Blade' Pattern Controller • Return - Lay-in T-Bar - 1 1/2" (38) Slot - Uninsulated . . . . .	C36
5715R-F	Adjustable 'Wiper Blade' Pattern Controller • Return - Narrow Regressed T-Bar - Straddle Style - 1 1/2" (38) Slot - Uninsulated . . . . .	C38
5715R-F2	Adjustable 'Wiper Blade' Pattern Controller • Return - Narrow Regressed T-Bar - Flat Face T-Bar Style - 1 1/2" (38) Slot - Uninsulated . . . . .	C38
5715RI	Adjustable 'Wiper Blade' Pattern Controller • Return - Lay-in T-Bar - 1 1/2" (38) Slot - Insulated . . . . .	C36
5715RI-F	Adjustable 'Wiper Blade' Pattern Controller • Return - Narrow Regressed T-Bar - Straddle Style - 1 1/2" (38) Slot - Insulated . . . . .	C38
5715RI-F2	Adjustable 'Wiper Blade' Pattern Controller • Return - Narrow Regressed T-Bar - Flat Face T-Bar Style - 1 1/2" (38) Slot - Insulated . . . . .	C38
5750	Adjustable 'Wiper Blade' Pattern Controller • Supply - Lay-in T-Bar - 1/2" (13) Slot - Uninsulated . . . . .	C6
5750I	Adjustable 'Wiper Blade' Pattern Controller • Supply - Lay-in T-Bar - 1/2" (13) Slot - Insulated . . . . .	C6
5750R	Adjustable 'Wiper Blade' Pattern Controller • Return - Lay-in T-Bar - 1/2" (13) Slot - Uninsulated . . . . .	C36
5750RI	Adjustable 'Wiper Blade' Pattern Controller • Return - Lay-in T-Bar - 1/2" (13) Slot - Insulated . . . . .	C36
5775	Adjustable 'Wiper Blade' Pattern Controller • Supply - Lay-in T-Bar - 3/4" (19) Slot - Uninsulated . . . . .	C6
5775-F	Adjustable 'Wiper Blade' Pattern Controller • Supply - Narrow Regressed T-Bar - Straddle Mount - 3/4" (19) Slot - Uninsulated . . . . .	C8
5775-F2	Adjustable 'Wiper Blade' Pattern Controller • Supply - Narrow Regressed T-Bar - Flat Face T-Bar - 3/4" (19) Slot - Uninsulated . . . . .	C8
5775I	Adjustable 'Wiper Blade' Pattern Controller • Supply - Lay-in T-Bar - 3/4" (19) Slot - Insulated . . . . .	C6
5775I-F	Adjustable 'Wiper Blade' Pattern Controller • Supply - Narrow Regressed T-Bar - Straddle Mount - 3/4" (19) Slot - Insulated . . . . .	C8
5775I-F2	Adjustable 'Wiper Blade' Pattern Controller • Supply - Narrow Regressed T-Bar - Flat Face T-Bar - 3/4" (19) Slot - Insulated . . . . .	C8
5775R	Adjustable 'Wiper Blade' Pattern Controller • Return - Lay-in T-Bar - 3/4" (19) Slot - Uninsulated . . . . .	C36
5775R-F	Adjustable 'Wiper Blade' Pattern Controller • Return - Narrow Regressed T-Bar - Straddle Style - 3/4" (19) Slot - Uninsulated . . . . .	C38
5775R-F2	Adjustable 'Wiper Blade' Pattern Controller • Return - Narrow Regressed T-Bar - Flat Face T-Bar Style - 3/4" (19) Slot - Uninsulated . . . . .	C38
5775RI	Adjustable 'Wiper Blade' Pattern Controller • Return - Lay-in T-Bar - 3/4" (19) Slot - Insulated . . . . .	C36
5775RI-F	Adjustable 'Wiper Blade' Pattern Controller • Return - Narrow Regressed T-Bar - Straddle Style - 3/4" (19) Slot - Insulated . . . . .	C38
5775RI-F2	Adjustable 'Wiper Blade' Pattern Controller • Return - Narrow Regressed T-Bar - Flat Face T-Bar Style - 3/4" (19) Slot - Insulated . . . . .	C38
5810	Adjustable 'Ice Tong' Pattern Controller • Supply - Lay-in T-Bar - 1" (25) Slot - Uninsulated . . . . .	C16
5810-F	Adjustable 'Ice Tong' Pattern Controller • Supply - Narrow Regressed T-Bar - Straddle Mount - 1" (25) Slot - Uninsulated . . . . .	C18
5810-F2	Adjustable 'Ice Tong' Pattern Controller • Supply - Narrow Regressed T-Bar - Flat Face Center T-Bar - 1" (25) Slot - Uninsulated . . . . .	C18
5810I	Adjustable 'Ice Tong' Pattern Controller • Supply - Lay-in T-Bar - 1" (25) Slot - Insulated . . . . .	C16
5810I-F	Adjustable 'Ice Tong' Pattern Controller • Supply - Narrow Regressed T-Bar - Straddle Mount - 1" (25) Slot - Insulated . . . . .	C18
5810I-F2	Adjustable 'Ice Tong' Pattern Controller • Supply - Narrow Regressed T-Bar - Flat Face Center T-Bar - 1" (25) Slot - Insulated . . . . .	C18
5810R	Adjustable 'Ice Tong' Pattern Controller • Return - Lay-in T-Bar - 1" (25) Slot - Uninsulated . . . . .	C36
5810R-F	Adjustable 'Ice Tong' Pattern Controller • Return - Narrow Regressed T-Bar - Straddle Style - 1" (25) Slot - Uninsulated . . . . .	C38
5810R-F2	Adjustable 'Ice Tong' Pattern Controller • Return - Narrow Regressed T-Bar - Flat Face T-Bar Style - 1" (25) Slot - Uninsulated . . . . .	C38
5810RI	Adjustable 'Ice Tong' Pattern Controller • Return - Lay-in T-Bar - 1" (25) Slot - Insulated . . . . .	C36
5810RI-F	Adjustable 'Ice Tong' Pattern Controller • Return - Narrow Regressed T-Bar - Straddle Style - 1" (25) Slot - Insulated . . . . .	C38
5810RI-F2	Adjustable 'Ice Tong' Pattern Controller • Return - Narrow Regressed T-Bar - Flat Face T-Bar Style - 1" (25) Slot - Insulated . . . . .	C38
5850	Adjustable 'Ice Tong' Pattern Controller • Supply - Lay-in T-Bar - 1/2" (13) Slot - Uninsulated . . . . .	C16
5850-F	Adjustable 'Ice Tong' Pattern Controller • Supply - Narrow Regressed T-Bar - Straddle Mount - 1/2" (13) Slot - Uninsulated . . . . .	C18

**INDEX BY SECTION AND NAILOR MODEL NUMBER**

MODEL	SECTION AND DESCRIPTION	PAGE NO.
-------	-------------------------	----------

**PLENUM SLOT & LIGHT TROFFER DIFFUSERS (CONTINUED)**

5850-F2	Adjustable 'Ice Tong' Pattern Controller • Supply - Narrow Regressed T-Bar - Flat Face Center T-Bar - 1/2" (13) Slot - Uninsulated	C18
5850I	Adjustable 'Ice Tong' Pattern Controller • Supply - Lay-in T-Bar - 1/2" (13) Slot - Insulated	C16
5850I-F	Adjustable 'Ice Tong' Pattern Controller • Supply - Narrow Regressed T-Bar - Straddle Mount - 1/2" (13) Slot - Insulated	C18
5850I-F2	Adjustable 'Ice Tong' Pattern Controller • Supply - Narrow Regressed T-Bar - Flat Face Center T-Bar - 1/2" (13) Slot - Insulated	C18
5850R	Adjustable 'Ice Tong' Pattern Controller • Return - Lay-in T-Bar - 1/2" (13) Slot - Uninsulated	C36
5850R-F	Adjustable 'Ice Tong' Pattern Controller • Return - Narrow Regressed T-Bar - 1/2" (13) Slot - Uninsulated	C38
5850R-F2	Adjustable 'Ice Tong' Pattern Controller • Return - Narrow Regressed T-Bar - 1/2" (13) Slot - Uninsulated	C38
5850RI	Adjustable 'Ice Tong' Pattern Controller • Return - Lay-in T-Bar - 1/2" (13) Slot - Insulated	C36
5850RI-F	Adjustable 'Ice Tong' Pattern Controller • Return - Narrow Regressed T-Bar - Straddle Mount - 1/2" (13) Slot - Insulated	C38
5850RI-F2	Adjustable 'Ice Tong' Pattern Controller • Return - Narrow Regressed T-Bar - Flat Face Center T-Bar - 1/2" (13) Slot - Insulated	C38
5875	Adjustable 'Ice Tong' Pattern Controller • Supply - Lay-in T-Bar - 3/4" (19) Slot - Uninsulated	C16
5875-F	Adjustable 'Ice Tong' Pattern Controller • Supply - Narrow Regressed T-Bar - Straddle Mount - 3/4" (19) Slot - Uninsulated	C18
5875-F2	Adjustable 'Ice Tong' Pattern Controller • Supply - Narrow Regressed T-Bar - Flat Face Center T-Bar - 3/4" (19) Slot - Uninsulated	C18
5875I	Adjustable 'Ice Tong' Pattern Controller • Supply - Lay-in T-Bar - 3/4" (19) Slot - Insulated	C16
5875I-F	Adjustable 'Ice Tong' Pattern Controller • Supply - Narrow Regressed T-Bar - Straddle Mount - 3/4" (19) Slot - Insulated	C18
5875I-F2	Adjustable 'Ice Tong' Pattern Controller • Supply - Narrow Regressed T-Bar - Flat Face Center T-Bar - 3/4" (19) Slot - Insulated	C18
5875R	Adjustable 'Ice Tong' Pattern Controller • Return - Lay-in T-Bar - 3/4" (19) Slot - Uninsulated	C36
5875R-F	Adjustable 'Ice Tong' Pattern Controller • Return - Narrow Regressed T-Bar - Straddle Style - 3/4" (19) Slot - Uninsulated	C38
5875R-F2	Adjustable 'Ice Tong' Pattern Controller • Return - Narrow Regressed T-Bar - Flat Face T-Bar Style - 3/4" (19) Slot - Uninsulated	C38
5875RI	Adjustable 'Ice Tong' Pattern Controller • Return - Lay-in T-Bar - 3/4" (19) Slot - Insulated	C36
5875RI-F	Adjustable 'Ice Tong' Pattern Controller • Return - Narrow Regressed T-Bar - Straddle Style - 3/4" (19) Slot - Insulated	C38
5875RI-F2	Adjustable 'Ice Tong' Pattern Controller • Return - Narrow Regressed T-Bar - Flat Face T-Bar Style - 3/4" (19) Slot - Insulated	C38
59BS	Plenum Slot Diffusers • Supply - Standard Lay-in T-Bar - Premium Performance - Adjustable Vertical Discharge	C53
59BSI	Plenum Slot Diffusers • Supply - Standard Lay-in T-Bar - Premium Performance - Adjustable Vertical Discharge - Internal Insulation	C53
59BSR	Plenum Slot Diffusers • Supply/Return - Standard Lay-in T-Bar - Premium Performance - Adjustable Vertical Discharge	C53
59BSRI	Plenum Slot Diffusers • Supply/Return - Standard Lay-in T-Bar - Premium Performance - Adjustable Vertical Discharge - Internal Insulation	C53
59N	Plenum Slot Diffusers • Supply - Standard Lay-in T-Bar - Horizontal Discharge	C45
59ND	Plenum Slot Diffusers • Supply - Standard Lay-in T-Bar - Horizontal/Vertical Discharge	C45
59NDI	Plenum Slot Diffusers • Supply - Standard Lay-in T-Bar - Horizontal/Vertical Discharge - Internal Insulation	C45
59NDR	Plenum Slot Diffusers • Supply/Return - Standard Lay-in T-Bar - Horizontal/Vertical Discharge	C45
59NDR1	Plenum Slot Diffusers • Supply/Return - Standard Lay-in T-Bar - Horizontal/Vertical Discharge - Internal Insulation	C45
59NI	Plenum Slot Diffusers • Supply - Standard Lay-in T-Bar - Horizontal Discharge - Internal Insulation	C45
59NR	Plenum Slot Diffusers • Supply/Return - Standard Lay-in T-Bar - Horizontal Discharge	C45
59NRI	Plenum Slot Diffusers • Supply/Return - Standard Lay-in T-Bar - Horizontal Discharge - Internal Insulation	C45

**CEILING DIFFUSERS ..... D**

4250	Ceiling Diffuser Options and Accessories • Air Balancing Devices - Round Neck Dampers	D235
4260	Eggcrate Return Ceiling Diffusers • Steel - Aluminum Eggcrate	D216
4260AA	Eggcrate Return Ceiling Diffusers • Aluminum - Aluminum Eggcrate	D216
4275	Ceiling Diffuser Options and Accessories • Air Balancing Devices - Round Neck Dampers	D235
4295	Ceiling Diffuser Options and Accessories • Air Balancing Devices - Quadrant Blanks	D239
4302	Perforated Return Ceiling Diffusers • Steel - Flush Face - Ductless Application	D209
4302A	Perforated Return Ceiling Diffusers • Aluminum - Flush Face - Ductless Application	D209
4302-DF	Perforated Return Ceiling Diffusers • Steel - Drop Face - Ductless Application	D209
4302-F	Perforated Return Ceiling Diffusers • Steel - Finline® - Ductless Application	D209
4310A	Perforated Supply Ceiling Diffusers • All Aluminum Perforated Ceiling Diffusers - Supply - Round Neck	D197
4310AR	Perforated Return Ceiling Diffusers • All Aluminum Perforated Ceiling Diffusers - Return - Round Neck	D197
4320	Perforated Supply Ceiling Diffusers • Deflectors - 1, 2, 3 or 4-Way Adjustable Pattern - Steel - Flush Face	D144
4320A	Perforated Supply Ceiling Diffusers • Deflectors - 1, 2, 3 or 4-Way Adjustable Pattern - Aluminum Face - Flush Face	D144
4320AA	Perforated Supply Ceiling Diffusers • Deflectors - 1, 2, 3 or 4-Way Adjustable Pattern - Aluminum - Flush Face	D144
4320CB	Perforated Supply Ceiling Diffusers • Curved Blade - 1, 2, 3 or 4-Way Pattern - Steel - Flush Face	D154
4320CBA	Perforated Supply Ceiling Diffusers • Curved Blade - 1, 2, 3 or 4-Way Pattern - Aluminum Face - Flush Face	D154
4320CBAA	Perforated Supply Ceiling Diffusers • Curved Blade - 1, 2, 3 or 4-Way Pattern - Aluminum - Flush Face	D154
4320F	Perforated Supply Ceiling Diffusers • Fixed - 4-Way Pattern - Steel - Flush Face	D165
4320FA	Perforated Supply Ceiling Diffusers • Fixed - 4-Way Pattern - Aluminum Face - Flush Face	D165
4320M	Perforated Supply Ceiling Diffusers • Modular Core - 1, 2, 3 or 4-Way Adjustable Pattern - Steel - Flush Face - Square Neck	D170
4320MA	Perforated Supply Ceiling Diffusers • Modular Core - 1, 2, 3 or 4-Way Adjustable Pattern - Aluminum Face - Flush Face - Square Neck	D170
4320MR	Perforated Supply Ceiling Diffusers • Modular Core - 1, 2, 3 or 4-Way Adjustable Pattern - Steel - Flush Face - Round Neck	D175
4320MRA	Perforated Supply Ceiling Diffusers • Modular Core - 1, 2, 3 or 4-Way Adjustable Pattern - Aluminum Face - Flush Face - Round Neck	D175
4325	Perforated Supply Ceiling Diffusers • Deflectors - 1, 2, 3 or 4-Way Adjustable Pattern - Steel - Drop Face	D144
4325A	Perforated Supply Ceiling Diffusers • Deflectors - 1, 2, 3 or 4-Way Adjustable Pattern - Aluminum Face - Drop Face	D144

**INDEX**

**INDEX BY SECTION AND NAILOR MODEL NUMBER**

**MODEL      SECTION AND DESCRIPTION      PAGE NO.**

**CEILING DIFFUSERS (CONTINUED)**

4325AA	Perforated Supply Ceiling Diffusers • Deflectors - 1, 2, 3 or 4-Way Adjustable Pattern - Aluminum - Drop Face	D144
4325CB	Perforated Supply Ceiling Diffusers • Curved Blade - 1, 2, 3 or 4-Way Pattern - Steel - Drop Face	D154
4325CBA	Perforated Supply Ceiling Diffusers • Curved Blade - 1, 2, 3 or 4-Way Pattern - Aluminum Face - Drop Face	D154
4325CBAA	Perforated Supply Ceiling Diffusers • Curved Blade - 1, 2, 3 or 4-Way Pattern - Aluminum - Drop Face	D154
4325F	Perforated Supply Ceiling Diffusers • Fixed - 4-Way Pattern - Steel - Drop Face	D165
4325FA	Perforated Supply Ceiling Diffusers • Fixed - 4-Way Pattern - Aluminum Face - Drop Face	D165
4325M	Perforated Supply Ceiling Diffusers • Modular Core - 1, 2, 3 or 4-Way Adjustable Pattern - Steel - Drop Face - Square Neck	D170
4325MA	Perforated Supply Ceiling Diffusers • Modular Core - 1, 2, 3 or 4-Way Adjustable Pattern - Aluminum Face - Drop Face - Square Neck	D170
4325MR	Perforated Supply Ceiling Diffusers • Modular Core - 1, 2, 3 or 4-Way Adjustable Pattern - Steel - Drop Face - Round Neck	D175
4325MRA	Perforated Supply Ceiling Diffusers • Modular Core - 1, 2, 3 or 4-Way Adjustable Pattern - Aluminum Face - Drop Face - Round Neck	D175
4330	Perforated Supply Ceiling Diffusers • Premium Architectural - Steel Face - Adjustable Deflectors	D183
4330A	Perforated Supply Ceiling Diffusers • Premium Architectural - Aluminum Face - Adjustable Deflectors	D183
4330CB	Perforated Supply Ceiling Diffusers • Premium Architectural - Steel Face - Curved Blade Pattern Controllers	D191
4330CBA	Perforated Supply Ceiling Diffusers • Premium Architectural - Aluminum Face - Curved Blade Pattern Controllers	D191
4330R	Perforated Return Ceiling Diffusers • Steel Face - Architectural	D212
4330RA	Perforated Return Ceiling Diffusers • Aluminum Face - Architectural	D212
4340CB	Perforated Supply Ceiling Diffusers • Full Face - Curved Blade - 1, 2, 3 or 4-Way Pattern - Steel Face - Square Neck	D162
4340CBA	Perforated Supply Ceiling Diffusers • Full Face - Curved Blade - 1, 2, 3 or 4-Way Pattern - Aluminum - Square Neck	D162
4340M	Perforated Supply Ceiling Diffusers • Full Face - Modular Core - 1, 2, 3 or 4-Way Adjustable Pattern - Steel Face - Square Neck	D180
4340MA	Perforated Supply Ceiling Diffusers • Full Face - Modular Core - 1, 2, 3 or 4-Way Adjustable Pattern - Aluminum Face - Square Neck	D180
4340R	Perforated Return Ceiling Diffusers • Steel Face - Flush Face - Square Neck	D206
4340RA	Perforated Return Ceiling Diffusers • Aluminum - Flush Face - Square Neck	D206
4360	Perforated Return Ceiling Diffusers • Steel - Flush Face	D200
4360A	Perforated Return Ceiling Diffusers • Aluminum Face - Flush Face	D200
4360AA	Perforated Return Ceiling Diffusers • Aluminum - Flush Face	D200
4365	Perforated Return Ceiling Diffusers • Steel - Drop Face	D200
4365A	Perforated Return Ceiling Diffusers • Aluminum Face - Drop Face	D200
4365AA	Perforated Return Ceiling Diffusers • Aluminum - Drop Face	D200
4675	Ceiling Diffuser Options and Accessories • Air Balancing Devices - Round Neck Dampers	D235
5010CTD	Architectural Square Ceiling Diffusers • Aluminum - Ceiling Tile Slot - Supply - 1" (25) Slot	D115
5010RCTD	Architectural Square Ceiling Diffusers • Aluminum - Ceiling Tile Slot - Return - 1" (25) Slot	D115
5075CTD	Architectural Square Ceiling Diffusers • Aluminum - Ceiling Tile Slot - Supply - 3/4" (19) Slot	D115
5075RCTD	Architectural Square Ceiling Diffusers • Aluminum - Ceiling Tile Slot - Return - 3/4" (19) Slot	D115
51CC	Curved Blade Ceiling Diffusers • Aluminum - 1, 2, 3 or 4-way Pattern	D226
51CCD	Curved Blade Ceiling Diffusers • Aluminum - 1 or 2-way Pattern w/Directional Vanes	D226
61CC	Curved Blade Ceiling Diffusers • Steel - 1, 2, 3 or 4-way Pattern	D226
61CCD	Curved Blade Ceiling Diffusers • Steel - 1 or 2-way Pattern w/Directional Vanes	D226
6200	Square and Rectangular Pattern Ceiling Diffusers • Aluminum - Fixed Pattern	D13
6200IV	Square and Rectangular Pattern Ceiling Diffusers • Aluminum - Fixed Pattern - Induction Vanes	D34
6250	Square and Rectangular Pattern Ceiling Diffusers • Aluminum - Adjustable Pattern	D13
6300	Round Ceiling Diffusers • Aluminum - Two Position Horizontal/Vertical Pattern	D135
6300R	Round Ceiling Diffusers • Aluminum - Fully Adjustable Horizontal/Vertical Pattern	D135
6400	Square and Rectangular Pattern Ceiling Diffusers • Aluminum - Fixed Pattern - Extra High Capacity	D42
6400IV	Square and Rectangular Pattern Ceiling Diffusers • Aluminum - Fixed Pattern - Extra High Capacity - Induction Vanes	D62
6500	Square and Rectangular Pattern Ceiling Diffusers • Steel - Fixed Pattern	D13
6500IV	Square and Rectangular Pattern Ceiling Diffusers • Steel - Fixed Pattern - Induction Vanes	D34
6550	Square and Rectangular Pattern Ceiling Diffusers • Steel - Adjustable Pattern	D13
6600	Architectural Square Ceiling Diffusers • Steel - Plaque Diffuser	D121
66UNI	Architectural Square Ceiling Diffusers • Steel - Plaque Face with Perimeter Slots	D126
7500	Modular Core Ceiling Diffusers • Steel - 1, 2, 3 or 4-way Adjustable Pattern	D220
ARNR	Round Ceiling Diffusers • Aluminum - Adjustable Horizontal Pattern	D129
ARNS	Stamped Square Ceiling Diffusers • Aluminum - Fixed Pattern	D79
ARNSA	Stamped Square Ceiling Diffusers • Aluminum - Adjustable Pattern	D84
AUNI	Architectural Square Ceiling Diffusers • Aluminum - Flat Panel	D101
DEGL	Ceiling Diffuser Options and Accessories • Air Balancing Devices - Damper with Grid - Square or Rectangular Neck	D239
DEGR	Ceiling Diffuser Options and Accessories • Air Balancing Devices - Damper with Grid - Round Neck	D238
DEGS	Ceiling Diffuser Options and Accessories • Air Balancing Devices - Damper with Grid - Square or Rectangular Neck	D239
DFA	Ceiling Diffuser Options and Accessories • Mounting Frames	D233
DFS	Ceiling Diffuser Options and Accessories • Mounting Frames	D233
EGL	Ceiling Diffuser Options and Accessories • Air Balancing Devices - Equalizing Grid - Square or Rectangular Neck	D238
EGR	Ceiling Diffuser Options and Accessories • Air Balancing Devices - Equalizing Grid - Round Neck	D238

**INDEX BY SECTION AND NAILOR MODEL NUMBER**

MODEL	SECTION AND DESCRIPTION	PAGE NO.
-------	-------------------------	----------

**CEILING DIFFUSERS (CONTINUED)**

EGS	Ceiling Diffuser Options and Accessories • Air Balancing Devices - Equalizing Grid - Square or Rectangular Neck	D238
EX	Ceiling Diffuser Options and Accessories • Air Balancing Devices - Volume Extractors - 2" (51) Blade Spacing	D240
EXD	Ceiling Diffuser Options and Accessories • Air Balancing Devices - Volume Extractors - 1" (25) Blade Spacing	D240
OBD	Ceiling Diffuser Options and Accessories • Air Balancing Devices - Opposed Blade Dampers - Square & Rectangular Neck	D236
OBDD	Ceiling Diffuser Options and Accessories • Air Balancing Devices - Opposed Blade Dampers - Square & Rectangular Neck	D237
RDB	Round Ceiling Diffusers • Steel - Downblast Adjustable Horizontal/Vertical Pattern	D141
RNR	Round Ceiling Diffusers • Steel - Adjustable Horizontal Pattern	D129
RNRA1	Round Ceiling Diffusers • Steel - Adjustable Horizontal to Vertical Discharge Pattern	D133
RNS	Stamped Square Ceiling Diffusers • Steel - Fixed Pattern	D79
RNS2	Stamped Square Ceiling Diffusers • Steel - Fixed Pattern	D93
RNS3	Stamped Square Ceiling Diffusers • Steel - Fixed Pattern	D89
RNSA	Stamped Square Ceiling Diffusers • Steel - Adjustable Pattern	D84
R-UNI	Round Ceiling Diffusers • Aluminum - Architectural Plaque Face Horizontal Pattern	D138
TWR	Stamped Square Ceiling Diffusers • Steel - "Twister" Stamped Square Swirl Diffuser	D97
UNI	Architectural Square Ceiling Diffusers • Steel - Flat Panel	D101
UNI-AD	Architectural Square Ceiling Diffusers • Steel - Downblast - Adjustable	D112
UNI-PD	Architectural Square Ceiling Diffusers • Steel - Downblast - Fixed Perforated	D109
UNI w/RC	Architectural Square Ceiling Diffusers • Steel - Flat Panel - Retaining Channel Option	D103

**HOSPITAL/CLEANROOM DIFFUSERS ..... E**

67FB45	Stainless Steel Return/Filter Grilles & Registers • Stainless Steel - 1/4 Turn Fasteners - 3/4" (19) Spacing - Fixed Blades	E86
67FB55	Stainless Steel Return/Filter Grilles & Registers • Stainless Steel - 1/4 Turn Fasteners - 1/2" (13) Spacing - Fixed Blades	E92
92CBPRP	Radial Pattern Diffusers • Steel - 180° - Adjustable - Perforated Center	E38
92CBPRP-AL	Radial Pattern Diffusers • Aluminum - 180° - Adjustable - Perforated Center	E38
92CBSRP	Radial Pattern Diffusers • Steel - 180° - Adjustable - Straight Blade Center	E38
92CBSRP-AL	Radial Pattern Diffusers • Aluminum - 180° - Adjustable - Straight Blade Center	E38
92FRP-1	Radial Pattern Diffusers • Steel - Radial Pattern - 90° - Flush Face	E27
92FRP-1AL	Radial Pattern Diffusers • Aluminum - Radial Pattern - 90° - Flush Face	E27
92FRP-1SS	Radial Pattern Diffusers • Stainless Steel - Radial Pattern - 90° - Flush Face	E31
92FRP-2	Radial Pattern Diffusers • Steel - Radial Pattern - 180° - Flush Face	E27
92FRP-2AL	Radial Pattern Diffusers • Aluminum - Radial Pattern - 180° - Flush Face	E27
92FRP-2SS	Radial Pattern Diffusers • Stainless Steel - Radial Pattern - 180° - Flush Face	E31
92LFD	Laminar Flow Diffusers • Steel	E43
92LFD-AL	Laminar Flow Diffusers • Aluminum	E43
92LFD-SS	Laminar Flow Diffusers • Stainless Steel	E43
92LFD-AL	Laminar Flow Diffusers • Aluminum - HEPA or ULPA Filter	E50
92LFD-SS	Laminar Flow Diffusers • Stainless Steel - HEPA or ULPA Filter	E50
92LS-SS	Steri-System Linear Slot Diffusers • Stainless Steel	E59
92RPD-1	Radial Pattern Diffusers • Aluminum - Radial Pattern - 90°	E6
92RPD-1SS	Radial Pattern Diffusers • Stainless Steel - Radial Pattern - 90°	E8
92RPD-2	Radial Pattern Diffusers • Aluminum - Radial Pattern - 180°	E6
92RPD-2SS	Radial Pattern Diffusers • Stainless Steel - Radial Pattern - 180°	E8
92RPDF-1SS	Radial Pattern Diffusers • Stainless Steel - Radial Pattern - 90° - HEPA or ULPA Filter	E16
92RPDF-2SS	Radial Pattern Diffusers • Stainless Steel - Radial Pattern - 180° - HEPA or ULPA Filter	E16
92STSYS	Steri-System Hospital Operating Room Air Systems • Stainless Steel	E66

**FIRE RATED PRODUCTS ..... F**

4010	Fire Rated Stamped Square Diffusers • Round Neck - Fixed Pattern - Full Face	F12
4010-1	Fire Rated Stamped Square Diffusers • Round Neck - Adjustable Pattern - Full Face	F15
4010-SM	Fire Rated Stamped Square Diffusers • Round Neck - Fixed Pattern - Full Face	F14
4020	Fire Rated Stamped Square Diffusers • Round Neck - Fixed Pattern - Full Face	F12
4020-1	Fire Rated Stamped Square Diffusers • Round Neck - Adjustable Pattern - Full Face	F15
4030	Fire Rated Stamped Square Diffusers • Round Neck - Fixed Pattern - Panel Type	F12
4030-1	Fire Rated Stamped Square Diffusers • Round Neck - Adjustable Pattern - Panel Type	F15
4040	Fire Rated Stamped Square Diffusers • Round Neck - Fixed Pattern - Panel Type	F12
4040-1	Fire Rated Stamped Square Diffusers • Round Neck - Adjustable Pattern - Panel Type	F15
4070	Fire Rated Perforated Diffusers • Supply - 1, 2, 3 or 4-Way Adjustable Discharge Pattern - Flush Face	F25
4070CB	Fire Rated Perforated Diffusers • Curved Blade - 1, 2, 3 or 4-Way Adjustable Discharge Pattern Option - Flush Face	F28
4070R	Fire Rated Perforated Diffusers • Return Models - Ducted - Flush Face	F25
4070-SM	Fire Rated Perforated Diffusers • Supply - 1, 2, 3 or 4-Way Adjustable Discharge Pattern - Flush Face	F27



**INDEX BY SECTION AND NAILOR MODEL NUMBER**

MODEL	SECTION AND DESCRIPTION	PAGE NO.
-------	-------------------------	----------

**FIRE RATED PRODUCTS (CONTINUED)**

4075	Fire Rated Perforated Diffusers • Supply - 1, 2, 3 or 4-Way Adjustable Discharge Pattern - Drop Face	F25
4075CB	Fire Rated Perforated Diffusers • Curved Blade - 1, 2, 3 or 4-Way Adjustable Discharge Pattern Option - Drop Face	F28
4075R	Fire Rated Perforated Diffusers • Return Models - Ducted - Drop Face	F25
4080	Fire Rated Perforated Diffusers • Supply - 1, 2, 3 or 4-Way Adjustable Discharge Pattern - Flush Face	F25
4080CB	Fire Rated Perforated Diffusers • Curved Blade - 1, 2, 3 or 4-Way Adjustable Discharge Pattern Option - Flush Face	F28
4080R	Fire Rated Perforated Diffusers • Return Models - Ducted - Flush Face	F25
4085	Fire Rated Perforated Diffusers • Supply - 1, 2, 3 or 4-Way Adjustable Discharge Pattern - Drop Face	F25
4085CB	Fire Rated Perforated Diffusers • Curved Blade - 1, 2, 3 or 4-Way Adjustable Discharge Pattern Option - Drop Face	F28
4085R	Fire Rated Perforated Diffusers • Return Models - Ducted - Drop Face	F25
4111, 4112, 4113	Fire Rated Ductless Return Grilles • Perforated Face	F32
4114, 4115, 4116	Fire Rated Ductless Return Grilles • Eggcrate Core	F32
4117, 4118, 4119	Fire Rated Ductless Return Grilles • Open Face (grille by others)	F32
4121, 4122, 4123	Fire Rated Ductless Return Filter Grilles • Filter Grille - Louvered Face	F34
4124, 4125, 4126	Fire Rated Ductless Return Filter Grilles • Filter Grille - Eggcrate Face	F34
4127, 4128, 4129	Fire Rated Ductless Return Filter Grilles • Raised Type - Optional Grilles	F36
4410	Fire Rated Stamped Square Diffusers • Round Neck - Fixed Pattern - Full Face	F17
4410-UNI	Fire Rated Architectural Square Diffusers • Round Neck - Flat Panel - Full Face	F19
4420	Fire Rated Stamped Square Diffusers • Round Neck - Fixed Pattern - Full Face	F17
4420-UNI	Fire Rated Architectural Square Diffusers • Round Neck - Flat Panel - Full Face	F19
4430	Fire Rated Stamped Square Diffusers • Round Neck - Fixed Pattern - Panel Type	F17
4430-UNI	Fire Rated Architectural Square Diffusers • Round Neck - Flat Panel - Panel Type	F19
4440	Fire Rated Stamped Square Diffusers • Round Neck - Fixed Pattern - Panel Type	F17
4440-UNI	Fire Rated Architectural Square Diffusers • Round Neck - Flat Panel - Panel Type	F19
5200L	Open Face Fire Rated Plenum Diffusers • Turned Leg - Optional Diffusers	F38
5200S	Open Face Fire Rated Plenum Diffusers • Hemmed Leg - Optional Diffusers	F38
5510R	Fire Rated Plenum Slot Diffusers • Return Model - 1" (25) Slot	F46
5510T	Fire Rated Plenum Slot Diffusers • Slot Diffuser - 'Ice Tong' Pattern Controller - 1" (25) Slot	F42
5510WB	Fire Rated Plenum Slot Diffusers • Slot Diffuser - 'Wiper Blade' Pattern Controller - 1" (25) Slot	F40
5515R	Fire Rated Plenum Slot Diffusers • Return Model - 1 1/2" (38) Slot	F46
5515WB	Fire Rated Plenum Slot Diffusers • Slot Diffuser - 'Wiper Blade' Pattern Controller - 1 1/2" (38) Slot	F40
5550R	Fire Rated Plenum Slot Diffusers • Return Model - 1/2" (13) Slot	F46
5550T	Fire Rated Plenum Slot Diffusers • Slot Diffuser - 'Ice Tong' Pattern Controller - 1/2" (13) Slot	F42
5550WB	Fire Rated Plenum Slot Diffusers • Slot Diffuser - 'Wiper Blade' Pattern Controller - 1/2" (13) Slot	F40
5575	Fire Rated Plenum Slot Diffusers • Slot Diffuser - 'Flip-Flop' Pattern Controller - 3/4" (19) Slot	F44
5575R	Fire Rated Plenum Slot Diffusers • Return Model - 3/4" (19) Slot	F46
5575T	Fire Rated Plenum Slot Diffusers • Slot Diffuser - 'Ice Tong' Pattern Controller - 3/4" (19) Slot	F42
5575WB	Fire Rated Plenum Slot Diffusers • Slot Diffuser - 'Wiper Blade' Pattern Controller - 3/4" (19) Slot	F40
6500FRD	Fire Rated Pattern Diffusers • Fixed Pattern - Square Neck	F8
6500IVFRD	Fire Rated Pattern Diffusers • Fixed Pattern - Square Neck - Induction Vanes	F8
6505FRD	Fire Rated Pattern Diffusers • Fixed Pattern - Round Neck	F10
6505IVFRD	Fire Rated Pattern Diffusers • Fixed Pattern - Round Neck - Induction Vanes	F10
6550FRD	Fire Rated Pattern Diffusers • Adjustable Pattern - Square Neck	F8
6555FRD	Fire Rated Pattern Diffusers • Adjustable Pattern - Round Neck	F10
7500FRD	Fire Rated Modular Core Diffusers • 1, 2, 3 or 4-Way Adjustable Discharge Pattern - Square Neck	F30
7505FRD	Fire Rated Modular Core Diffusers • 1, 2, 3 or 4-Way Adjustable Discharge Pattern - Round Neck	F30
UNI-ADFR	Fire Rated Downblast Square Diffusers • Round Neck - Adjustable - Full Face	F23
UNI-PDFR	Fire Rated Downblast Square Diffusers • Round Neck - Fixed - Perforated - Full Face	F21

**GRILLES AND REGISTERS**

45DL1	Drum Louver Supply Grilles • Aluminum - Supply - Single Vanes	G151
45DL2	Drum Louver Supply Grilles • Aluminum - Supply - Split Vanes	G151
5130H-HD	Heavy Duty Bar Return Grilles • Aluminum - Return - Gymnasium - 30° Blade Deflection - Horizontal	G127
5130V-HD	Heavy Duty Bar Return Grilles • Aluminum - Return - Gymnasium - 30° Blade Deflection - Vertical	G127
5145H	Louvered Face Grilles and Registers • Aluminum - 3/4" (19) Spacing - Fixed Blades - Return - 45° Blade Deflection - Horizontal	G28
5145V	Louvered Face Grilles and Registers • Aluminum - 3/4" (19) Spacing - Fixed Blades - Return - 45° Blade Deflection - Vertical	G28
5155H	Louvered Face Grilles and Registers • Aluminum - 1/2" (13) Spacing - Fixed Blades - Return - 45° Blade Deflection - Horizontal	G30
5155V	Louvered Face Grilles and Registers • Aluminum - 1/2" (13) Spacing - Fixed Blades - Return - 45° Blade Deflection - Vertical	G30
51C	Curved Blade Grilles and Registers • Aluminum - One-Way Discharge Pattern - Supply	G77
51C	Curved Blade Grilles and Registers • Aluminum - Three and Four-Way Discharge Pattern - Supply	G78
51CD	Curved Blade Grilles and Registers • Aluminum - Two-Way Discharge Pattern - Supply	G77



**INDEX BY SECTION AND NAILOR MODEL NUMBER**

MODEL	SECTION AND DESCRIPTION	PAGE NO.
<b>GRILLES AND REGISTERS (CONTINUED)</b>		
51D15H-HD	Heavy Duty Bar Grilles and Registers • Aluminum - Supply - 15° Blade Deflection - Horizontal	G122
51D15V-HD	Heavy Duty Bar Grilles and Registers • Aluminum - Supply - 15° Blade Deflection - Vertical	G122
51D30H-HD	Heavy Duty Bar Grilles and Registers • Aluminum - Supply - 30° Blade Deflection - Horizontal	G122
51D30V-HD	Heavy Duty Bar Grilles and Registers • Aluminum - Supply - 30° Blade Deflection - Vertical	G122
51DFH-HD	Heavy Duty Bar Grilles and Registers • Aluminum - Supply - 0° Blade Deflection - Horizontal	G122
51DFV-HD	Heavy Duty Bar Grilles and Registers • Aluminum - Supply - 0° Blade Deflection - Vertical	G122
51DGD	Door/Transfer Grilles • Aluminum - Double Flange	G111
51DGS	Door/Transfer Grilles • Aluminum - Single Flange	G111
51DH	Louvered Face Grilles and Registers • Aluminum - Double Deflection - Supply - Horizontal	G14
51DV	Louvered Face Grilles and Registers • Aluminum - Double Deflection - Supply - Vertical	G14
51EC	Eggcrate Grilles and Registers • Aluminum - Return and Exhaust	G87
51FB45	Filter Grilles • Aluminum - Exhaust and Return - 3/4" (19) Spacing - Fixed - 45° Blade Deflection	G105
51FB55	Filter Grilles • Aluminum - Exhaust and Return - 1/2" (13) Spacing - Fixed - 45° Blade Deflection	G105
51FBS	Filter Grilles • Aluminum - Exhaust and Return - 3/4" (19) Spacing - Fixed - 0° Blade Deflection	G105
51FE	Filter Grilles • Aluminum - Exhaust and Return - Eggcrate Grille Core	G105
51FH	Louvered Face Grilles and Registers • Aluminum - 3/4" (19) Spacing - Fixed Blades - Return - 0° Blade Deflection - Horizontal	G28
51FH-HD	Heavy Duty Bar Return Grilles • Aluminum - Return - Gymnasium - 0° Blade Deflection - Horizontal	G127
51FP	Filter Grilles • Aluminum - Exhaust and Return - Perforated Face Core	G105
51FV	Louvered Face Grilles and Registers • Aluminum - 3/4" (19) Spacing - Fixed Blades - Return - 0° Blade Deflection - Vertical	G28
51FV-HD	Heavy Duty Bar Return Grilles • Aluminum - Return - Gymnasium - 0° Blade Deflection - Vertical	G127
51LG	Lattice Grilles • Aluminum	G170
51PR	Perforated Grilles and Registers • Aluminum - Return	G97
51RC	Reversible Core Grilles and Registers • Aluminum - Supply and Return	G117
51RCD	Reversible Core Grilles and Registers • Aluminum - Supply and Return - Rear Directional Vanes	G117
51SH	Louvered Face Grilles and Registers • Aluminum - Single Deflection - Supply - Horizontal	G15
51SV	Louvered Face Grilles and Registers • Aluminum - Single Deflection - Supply - Vertical	G15
6145H	Louvered Face Grilles and Registers • Steel - 3/4" (19) Spacing - Fixed Blades - Return - 45° Blade Deflection - Horizontal	G32
6145H-HD	Heavy Duty Return Grille • Steel - Return - Gymnasium - 45° Deflection Horizontal Blades	G141
6145HC	Curved Spiral Duct Grilles • Steel - 45° Deflection - Fixed Blades - Return - 3/4" (19) Spacing - Horizontal Front Blades	G58
6145V	Louvered Face Grilles and Registers • Steel - 3/4" (19) Spacing - Fixed Blades - Return - 45° Blade Deflection - Vertical	G32
6145V-HD	Heavy Duty Return Grille • Steel - Return - Gymnasium - 45° Deflection Vertical Blades	G141
6155H	Louvered Face Grilles and Registers • Steel - 1/2" (13) Spacing - Fixed Blades - Return - 45° Blade Deflection - Horizontal	G34
6155HC	Curved Spiral Duct Grilles • Steel - 45° Deflection - Fixed Blades - Return - 1/2" (13) Spacing - Horizontal Front Blades	G58
6155V	Louvered Face Grilles and Registers • Steel - 1/2" (13) Spacing - Fixed Blades - Return - 45° Blade Deflection - Vertical	G34
61C	Curved Blade Grilles and Registers • Steel - One-Way & Two-Way Discharge Pattern - Supply	G79
61C	Curved Blade Grilles and Registers • Steel - Three and Four-Way Discharge Pattern - Supply	G80
61CD	Curved Blade Grilles and Registers • Steel - One-Way & Two-Way Discharge Pattern - Supply	G79
61DGC	Door/Transfer Grilles • Steel - Core Only	G112
61DGD	Door/Transfer Grilles • Steel - Double Flange	G112
61DGD-FR	Door/Transfer Grilles • Fire Rated	G113
61DGS	Door/Transfer Grilles • Steel - Single Flange	G112
61DH	Louvered Face Grilles and Registers • Steel - Double Deflection - Supply - Horizontal	G16
61DH-HD	Heavy Duty Grilles and Registers • Steel - Supply - Double Deflection - Gymnasium - Horizontal	G133
61DHC	Curved Spiral Duct Grilles • Steel - Double Deflection - Supply - Horizontal Front Blades	G47
61DV	Louvered Face Grilles and Registers • Steel - Double Deflection - Supply - Vertical	G16
61DV-HD	Heavy Duty Grilles and Registers • Steel - Supply - Double Deflection - Gymnasium - Vertical	G133
61DVC	Curved Spiral Duct Grilles • Steel - Double Deflection - Supply - Vertical Front Blades	G47
61EC	Eggcrate Grilles and Registers • Steel - Return and Exhaust	G89
61FB45	Filter Grilles • Steel - Exhaust and Return - 3/4" (19) Spacing - Fixed - 45° Blade Deflection	G105
61FB55	Filter Grilles • Steel - Exhaust and Return - 1/2" (13) Spacing - Fixed - 45° Blade Deflection	G105
61FBS	Filter Grilles • Steel - Exhaust and Return - 3/4" (19) Spacing - Fixed - 0° Blade Deflection	G105
61FE	Filter Grilles • Steel - Exhaust and Return - Eggcrate Grille Core	G105
61FH	Louvered Face Grilles and Registers • Steel - 3/4" (19) Spacing - Fixed Blades - Return - 0° Blade Deflection - Horizontal	G32
61FH-HD	Heavy Duty Return Grille • Steel - Return - Gymnasium - 0° Deflection Horizontal Blades	G141
61FP	Filter Grilles • Steel - Exhaust and Return - Perforated Face Core	G105
61FV	Louvered Face Grilles and Registers • Steel - 3/4" (19) Spacing - Fixed Blades - Return - 0° Blade Deflection - Vertical	G32
61FV-HD	Heavy Duty Return Grille • Steel - Return - Gymnasium - 0° Deflection Vertical Blades	G141
61L50C	Curved Spiral Duct Grilles • Linear Slot Face - Supply	G53
61L75C	Curved Spiral Duct Grilles • Linear Slot Face - Supply	G53
61L10C	Curved Spiral Duct Grilles • Linear Slot Face - Supply	G53

**INDEX**

**INDEX BY SECTION AND NAILOR MODEL NUMBER**

MODEL	SECTION AND DESCRIPTION	PAGE NO.
-------	-------------------------	----------

**GRILLES AND REGISTERS (CONTINUED)**

61LG	Lattice Grilles • Steel	G170
61PR	Perforated Grilles and Registers • Steel - Return	G97
61PRC	Curved Spiral Duct Grilles • Steel - Perforated Face - Supply and Return	G57
61SH	Louvered Face Grilles and Registers • Steel - Single Deflection - Supply - Horizontal	G17
61SH-HD	Heavy Duty Grilles and Registers • Steel - Supply - Single Deflection - Gymnasium - Horizontal	G133
61SHC	Curved Spiral Duct Grilles • Steel - Single Deflection - Supply - Horizontal Front Blades	G48
61SV	Louvered Face Grilles and Registers • Steel - Single Deflection - Supply - Vertical	G17
61SV-HD	Heavy Duty Grilles and Registers • Steel - Supply - Single Deflection - Gymnasium - Vertical	G133
61SVC	Curved Spiral Duct Grilles • Steel - Single Deflection - Supply - Vertical Front Blades	G48
6745H	Louvered Face Grilles and Registers • Stainless Steel - 3/4" (19) Spacing - Fixed Blades - Return - 45° Blade Deflection - Horizontal	G36
6745V	Louvered Face Grilles and Registers • Stainless Steel - 3/4" (19) Spacing - Fixed Blades - Return - 45° Blade Deflection - Vertical	G36
6755H	Louvered Face Grilles and Registers • Stainless Steel - 1/2" (13) Spacing - Fixed Blades - Return - 45° Blade Deflection - Horizontal	G37
6755H-HD	Heavy Duty Grilles and Registers • Stainless Steel - Return - 1/2" (13) Spacing - 45° Deflection Horizontal Blades	G147
6755V	Louvered Face Grilles and Registers • Stainless Steel - 1/2" (13) Spacing - Fixed Blades - Return - 45° Blade Deflection - Vertical	G37
6755V-HD	Heavy Duty Grilles and Registers • Stainless Steel - Return - 1/2" (13) Spacing - 45° Deflection Vertical Blades	G147
67DH	Louvered Face Grilles and Registers • Stainless Steel - Double Deflection - Supply - Horizontal	G18
67DV	Louvered Face Grilles and Registers • Stainless Steel - Double Deflection - Supply - Vertical	G18
67EC	Eggcrate Grilles and Registers • Stainless Steel - Return and Exhaust	G91
67FB45	Filter Grilles • Stainless Steel - Exhaust and Return - 3/4" (19) Spacing - Fixed - Surface Mount - 45° Blade Deflection	G105
67FB55	Filter Grilles • Stainless Steel - Exhaust and Return - 1/2" (13) Spacing - Fixed - Surface Mount - 45° Blade Deflection	G105
67FH	Louvered Face Grilles and Registers • Stainless Steel - 3/4" (19) Spacing - Fixed Blades - Return - 0° Blade Deflection - Horizontal	G36
67FV	Louvered Face Grilles and Registers • Stainless Steel - 3/4" (19) Spacing - Fixed Blades - Return - 0° Blade Deflection - Vertical	G36
67LG	Lattice Grilles • Stainless Steel	G170
67PR	Perforated Grilles and Registers • Stainless Steel - Return	G99
67SH	Louvered Face Grilles and Registers • Stainless Steel - Single Deflection - Supply - Horizontal	G19
67SV	Louvered Face Grilles and Registers • Stainless Steel - Single Deflection - Supply - Vertical	G19
7145H	Airfoil Blade Grilles and Registers • Aluminum - Fixed Blades - Return - 45° Blade Deflection - Horizontal Blades	G70
7145V	Airfoil Blade Grilles and Registers • Aluminum - Fixed Blades - Return - 45° Blade Deflection - Vertical Blades	G70
71DH	Airfoil Blade Grilles and Registers • Aluminum - Double Deflection - Supply - Horizontal Front Blades	G62
71DV	Airfoil Blade Grilles and Registers • Aluminum - Double Deflection - Supply - Vertical Front Blades	G62
71FH	Airfoil Blade Grilles and Registers • Aluminum - Fixed Blades - Return - 0° Blade Deflection - Horizontal Blades	G70
71FV	Airfoil Blade Grilles and Registers • Aluminum - Fixed Blades - Return - 0° Blade Deflection - Vertical Blades	G70
71SH	Airfoil Blade Grilles and Registers • Aluminum - Single Deflection - Supply - Horizontal Blades	G63
71SV	Airfoil Blade Grilles and Registers • Aluminum - Single Deflection - Supply - Vertical Blades	G63
813DH	Industrial Supply Grilles and Registers • Aluminum - Double Deflection - 3" (76) Spacing - Horizontal Blades	G158
813DV	Industrial Supply Grilles and Registers • Aluminum - Double Deflection - 3" (76) Spacing - Vertical Blades	G158
813SH	Industrial Supply Grilles and Registers • Aluminum - Single Deflection - 3" (76) Spacing - Horizontal Blades	G158
813SV	Industrial Supply Grilles and Registers • Aluminum - Single Deflection - 3" (76) Spacing - Vertical Blades	G158
81DH	Industrial Supply Grilles and Registers • Aluminum - Double Deflection - 1 1/2" (38) Spacing - Horizontal Blades	G158
81DV	Industrial Supply Grilles and Registers • Aluminum - Double Deflection - 1 1/2" (38) Spacing - Vertical Blades	G158
81GDH	Industrial Supply Grilles and Registers • Aluminum - Gang Operated - 1 1/2" (38) Spacing - Horizontal Front Blades	G158
81GDV	Industrial Supply Grilles and Registers • Aluminum - Gang Operated - 1 1/2" (38) Spacing - Vertical Front Blades	G158
81MG1	Industrial Supply Grilles and Registers • Aluminum - Modular Frame - Double Deflection - 1 1/2" (38) Spacing - One Module	G165
81MG2	Industrial Supply Grilles and Registers • Aluminum - Modular Frame - Double Deflection - 1 1/2" (38) Spacing - Two Modules	G165
81MG3	Industrial Supply Grilles and Registers • Aluminum - Modular Frame - Double Deflection - 1 1/2" (38) Spacing - Three Modules	G165
81MG4	Industrial Supply Grilles and Registers • Aluminum - Modular Frame - Double Deflection - 1 1/2" (38) Spacing - Four Modules	G165
81SH	Industrial Supply Grilles and Registers • Aluminum - Single Deflection - 1 1/2" (38) Spacing - Horizontal Blades	G158
81SV	Industrial Supply Grilles and Registers • Aluminum - Single Deflection - 1 1/2" (38) Spacing - Vertical Blades	G158
A Type	Grilles and Registers Options and Accessories • Fastenings and Border Frames - Screw Fastening (External)	G173
C Type	Grilles and Registers Options and Accessories • Fastenings and Border Frames - Concealed Mounting	G173
D Type	Grilles and Registers Options and Accessories • Fastenings and Border Frames - Screw Fastening (Concealed)	G173
DFA	Grilles and Registers Options and Accessories • Drywall/Plaster Mounting Frames - Aluminum	G174
DFS	Grilles and Registers Options and Accessories • Drywall/Plaster Mounting Frames - Steel	G174
EQT	Grilles and Registers Options and Accessories • Options - Earthquake Tabs	G176
EX	Grilles and Registers Options and Accessories • Air Balancing Devices - Volume Extractors - 2" (51) Blade Spacing	G180
EXD	Grilles and Registers Options and Accessories • Air Balancing Devices - Volume Extractors - 1" (25) Blade Spacing	G180
FP Border Type	Grilles and Registers Options and Accessories • Panel Mounting/Ceiling Modules - Narrow Regressed T-Bar (Fineline®)	G175
GK	Grilles and Registers Options and Accessories • Options - Gasket	G176
IS	Grilles and Registers Options and Accessories • Options - Insect Screen	G176
MP Border Type	Grilles and Registers Options and Accessories • Panel Mounting/Ceiling Modules - Metal Pan/Snap-in	G175

**INDEX BY SECTION AND NAILOR MODEL NUMBER**

MODEL	SECTION AND DESCRIPTION	PAGE NO.
-------	-------------------------	----------

**GRILLES AND REGISTERS (CONTINUED)**

NF Type	Grilles and Registers Options and Accessories • Fastenings and Border Frames - Narrow Frame . . . . .	G173
OBD	Grilles and Registers Options and Accessories • Air Balancing Devices - Opposed Blade Dampers - Steel - Grille Mount . . . . .	G177
OBD-A	Grilles and Registers Options and Accessories • Air Balancing Devices - Opposed Blade Dampers - Aluminum - Grille/Duct Mount . . . . .	G177
OBD-SS	Grilles and Registers Options and Accessories • Air Balancing Devices - Opposed Blade Dampers - Stainless Steel - Duct Mount . . . . .	G179
OBDD	Grilles and Registers Options and Accessories • Air Balancing Devices - Opposed Blade Dampers - Steel - Duct Mount . . . . .	G178
OBDD-A	Grilles and Registers Options and Accessories • Air Balancing Devices - Opposed Blade Dampers - Aluminum - Duct Mount . . . . .	G178
PF Model	Grilles and Registers Options and Accessories • Plaster/Mounting Frames . . . . .	G174
PL Border Type	Grilles and Registers Options and Accessories • Panel Mounting/Ceiling Modules - Lay-in T-Bar . . . . .	G175
SP Border Type	Grilles and Registers Options and Accessories • Panel Mounting/Ceiling Modules - Spline . . . . .	G175
TL Border Type	Grilles and Registers Options and Accessories • Panel Mounting/Ceiling Modules - Tegular Type T-Bar . . . . .	G175

**SECURITY PRODUCTS . . . . . H**

SG-280	Minimum Security Bar Grilles and Registers • Aluminum - Fixed Bars - 0° Deflection • 1/2" (13) Spacing . . . . .	H15
SG-480	Minimum Security Bar Grilles and Registers • Aluminum - Fixed Bars - 0° Deflection • 1/4" (6) Spacing . . . . .	H15
SG-5145H	Minimum Security Louvered Return Grilles and Registers • 45° Deflection - 3/4" (19) Spacing - Lattice Face • Aluminum . . . . .	H19
SG-5145V	Minimum Security Louvered Return Grilles and Registers • 45° Deflection - 3/4" (19) Spacing - Lattice Face • Aluminum . . . . .	H19
SG-51DH	Minimum Security Louvered Supply Grilles and Registers • Double Deflection - 3/4" (19) Spacing - Lattice Face • Aluminum . . . . .	H17
SG-51DV	Minimum Security Louvered Supply Grilles and Registers • Double Deflection - 3/4" (19) Spacing - Lattice Face • Aluminum . . . . .	H17
SG-51FH	Minimum Security Louvered Return Grilles and Registers • 0° Deflection - 3/4" (19) Spacing - Lattice Face • Aluminum . . . . .	H20
SG-51FV	Minimum Security Louvered Return Grilles and Registers • 0° Deflection - 3/4" (19) Spacing - Lattice Face • Aluminum . . . . .	H20
SG-51SH	Minimum Security Louvered Supply Grilles and Registers • Single Deflection - 3/4" (19) Spacing - Lattice Face • Aluminum . . . . .	H18
SG-51SV	Minimum Security Louvered Supply Grilles and Registers • Single Deflection - 3/4" (19) Spacing - Lattice Face • Aluminum . . . . .	H18
SG-6145H	Minimum Security Louvered Return Grilles and Registers • 45° Deflection - 3/4" (19) Spacing - Lattice Face • Steel . . . . .	H19
SG-6145V	Minimum Security Louvered Return Grilles and Registers • 45° Deflection - 3/4" (19) Spacing - Lattice Face • Steel . . . . .	H19
SG-61DH	Minimum Security Louvered Supply Grilles and Registers • Double Deflection - 3/4" (19) Spacing - Lattice Face • Steel . . . . .	H17
SG-61DV	Minimum Security Louvered Supply Grilles and Registers • Double Deflection - 3/4" (19) Spacing - Lattice Face • Steel . . . . .	H17
SG-61FH	Minimum Security Louvered Return Grilles and Registers • 0° Deflection - 3/4" (19) Spacing - Lattice Face • Steel . . . . .	H20
SG-61FV	Minimum Security Louvered Return Grilles and Registers • 0° Deflection - 3/4" (19) Spacing - Lattice Face • Steel . . . . .	H20
SG-61SH	Minimum Security Louvered Supply Grilles and Registers • Single Deflection - 3/4" (19) Spacing - Lattice Face • Steel . . . . .	H18
SG-61SV	Minimum Security Louvered Supply Grilles and Registers • Single Deflection - 3/4" (19) Spacing - Lattice Face • Steel . . . . .	H18
SG-6200	Minimum Security Diffusers • Louvered Face - 1, 2, 3, or 4-way blow - Aluminum . . . . .	H13
SG-6500	Minimum Security Diffusers • Louvered Face - 1, 2, 3, or 4-way blow - Steel . . . . .	H13
SG-BM4	Medium Security Bar Grilles and Registers • Steel - Fixed Bars - 40° Deflection . . . . .	H11
SG-BMZ	Medium Security Bar Grilles and Registers • Steel - Fixed Bars - 0° Deflection . . . . .	H11
SG-LGA	Minimum Security Lattice Face Grilles • 13/16" (21) Square Holes on 1" (25) Centers - 12 gauge material - Aluminum . . . . .	H21
SG-LGS	Minimum Security Lattice Face Grilles • 13/16" (21) Square Holes on 1" (25) Centers - 12 gauge material - Steel . . . . .	H21
SG-LM	Maximum Security Grilles and Registers • Steel - Square Lattice - Wire Mesh Screen . . . . .	H5
SG-PR	Maximum Security Grilles and Registers • Steel - Round Perforated . . . . .	H8

**INDEX**



## ***"Complete Air Control and Distribution Solutions"***

### **International Group Locations:**

**International and United States  
Headquarters, Sales, Manufacturing,  
Research and Development and Test  
Laboratory:**

Nailor Industries of Texas Inc.  
4714 Winfield Rd.,  
Houston, Texas 77039  
U.S.A.

Tel: (281) 590-1172  
Fax: (281) 590-3086  
info@nailor.com  
www.nailor.com

**Canadian Headquarters, Sales and  
Manufacturing:**

Nailor Industries Inc.  
98 Toryork Drive,  
Toronto, Ontario M9L 1X6  
Canada  
Tel: (416) 744-3300  
Fax: (416) 744-3360

**European Sales and Marketing  
Center, Manufacturing:**

(also responsible for exports to the  
Middle East, Asia and Australia):

Advanced Air (UK) Ltd.  
Burrell Way,  
Thetford, Norfolk  
IP 24 3WB  
England  
Tel: (0)1842 765657  
Fax: (0)1842 753493  
sales@advancedair.co.uk  
www.advancedair.co.uk

**Regional Sales and Manufacturing  
Facilities:**

Nailor Industries Inc. (Western U.S.A.)  
3200 E. Gowan, Suite 105  
N. Las Vegas, NV 89030  
U.S.A.  
Tel: (702) 648-5400  
Fax: (702) 638-0400

Nailor Industries (Western) Inc.  
Unit F, 4427 - 72nd Avenue S.E.,  
Calgary, Alberta T2C 2G5  
Canada  
Tel: (403) 279-8619  
Fax: (403) 279-5035